

AVES

Parque Nacional Laguna del Tigre

Licencia de investigación: DRP01-2026



Cerulean warbler (*Setophaga cerulea*) NT

©Cornelio Chablé



Autores: Cornelio Chablé & Jeovany Tut

Actualizado: 11-9-2026

Introducción

El **Parque Nacional Laguna del Tigre**, constituye uno de los espacios naturales de mayor relevancia para la conservación de la biodiversidad de la selva maya. Su posición dentro del paisaje forestal mesoamericano le confiere especial importancia para la **conectividad ecológica y el desplazamiento de poblaciones de aves**, incluyendo especies residentes y migratorias que utilizan los bosques y humedales de Petén como áreas de alimentación, refugio, reproducción y tránsito. En este contexto, la generación sistemática de información sobre la avifauna resulta fundamental para comprender la composición y dinámica de las comunidades de aves y fortalecer las estrategias de conservación.

La **Estación Biológica Las Guacamayas** desarrolla actividades de monitoreo biológico en **19,111 hectáreas del sector este del Parque Nacional Laguna del Tigre**, mediante la observación, identificación, registro y documentación de la diversidad de aves. Este esfuerzo integra el conocimiento generado mediante recorridos de campo, observaciones directas y **Conteos Navideños de Aves**, complementados con registros fotográficos obtenidos *in situ*. La documentación visual constituye una evidencia valiosa de la presencia de las especies y contribuye a construir un registro histórico de la biodiversidad del área.

Los Conteos Navideños de Aves forman parte de uno de los programas de ciencia ciudadana de mayor trayectoria en el hemisferio occidental. Su valor científico radica, entre otros aspectos, en la aplicación de protocolos y esfuerzos de muestreo que permiten acumular información comparable a través del tiempo y analizar cambios en la distribución y abundancia relativa de las aves. Los datos generados por este tipo de iniciativas han sido utilizados para identificar tendencias poblacionales y apoyar decisiones de conservación.

En este sentido, el monitoreo realizado por la Estación Biológica Las Guacamayas representa una contribución significativa al conocimiento de la avifauna del Parque Nacional Laguna del Tigre. La articulación entre **monitoreo biológico, observación especializada, documentación fotográfica y participación ciudadana** permite ampliar la capacidad para detectar y documentar la diversidad de especies presentes en el territorio. Para cada especie registrada, la consideración de su **estado de conservación de acuerdo con la Lista Roja de la UICN**, así como su condición de especie **residente, migratoria o endémica regional**, permite interpretar los registros desde una perspectiva de conservación y resaltar aquellas especies que poseen particular importancia ecológica o que enfrentan mayores riesgos a escala global.

Los registros obtenidos muestran una predominancia de **especies residentes**, con un total de **265 especies**, lo que representa la mayor proporción de la avifauna registrada. Asimismo, se identificaron **116 especies migratorias**, evidenciando la importancia del área como sitio de paso, alimentación y refugio para aves migratorias. Finalmente, se registraron **15 especies endémicas regionales**, lo que resalta el valor de conservación del **Parque Nacional Laguna del Tigre** como hábitat para especies de distribución restringida.

la mayoría de las especies registradas se encuentran clasificadas como **Preocupación Menor (LC)**, con un total de **382 especies**, lo que indica que actualmente no presentan un riesgo elevado de extinción a escala global. Sin embargo, se identificaron **10 especies Casi Amenazadas (NT)**, **3 Vulnerables (VU)** y **1 especie En Peligro (EN)**. Estos registros resaltan la importancia del **Parque Nacional Laguna del Tigre** como un área clave para la conservación de la diversidad de aves y, especialmente, para aquellas especies que presentan algún grado de amenaza.

A continuación, se presentan las abreviaciones para facilitar la comprensión:

LC	Preocupación menor
NT	Casi amenazado
EN	En peligro
VU	Vulnerable

Metodología

El monitoreo de aves en la **Estación Biológica Las Guacamayas (EBG)** se desarrolla mediante una metodología estandarizada que combina observaciones directas, registros fotográficos y el uso de plataformas digitales de ciencia ciudadana, principalmente **eBird**, con el propósito de documentar la riqueza, abundancia relativa, distribución y estatus de las especies presentes en el área de estudio.

El levantamiento de información se realiza mediante **tres métodos principales de observación: transectos, puntos estacionarios y registros incidentales**. Los recorridos por **transectos** se efectúan a lo largo de senderos y caminos previamente establecidos dentro de los diferentes ambientes de la Estación, registrando las especies observadas o escuchadas durante el recorrido, así como el número de individuos, hora, ubicación y condiciones de observación. Este método permite obtener información comparable entre diferentes sitios y períodos de monitoreo.


El método **estacionario** consiste en permanecer durante un período determinado en puntos de observación seleccionados, registrando todas las especies detectadas visual o auditivamente dentro del área de observación. Estos puntos permiten detectar especies que pueden pasar desapercibidas durante los recorridos, especialmente aquellas asociadas al dosel, cuerpos de agua, bordes de bosque y áreas abiertas.

Los **registros incidentales** corresponden a observaciones realizadas fuera de los transectos y puntos estacionarios, durante actividades cotidianas de la Estación, recorridos de interpretación, fotografía, desplazamientos entre sitios o actividades de investigación. Estos registros complementan la información obtenida mediante los métodos estandarizados y permiten ampliar el inventario de especies.

Todos los registros son documentados mediante **eBird**, incluyendo información sobre fecha, hora, ubicación, esfuerzo de observación, número de individuos y evidencia fotográfica o sonora cuando está disponible. La participación de **biólogos, investigadores, estudiantes, voluntarios, guías locales y visitantes** contribuye al fortalecimiento de la ciencia ciudadana, generando una mayor cantidad de observaciones y permitiendo ampliar el conocimiento sobre la avifauna de la EBG y del sector sureste del **Parque Nacional Laguna del Tigre**.

La información recopilada es posteriormente revisada y sistematizada para determinar la **riqueza de especies, abundancia, distribución, presencia de especies residentes y migratorias y su estado de conservación**.

Área de enfoque



El área de enfoque del Programa de Monitoreo de la Biodiversidad comprende **19,111 hectáreas** dentro del -PNLT-. Entre las áreas intervenidas se encuentran **bosques primarios y secundarios, áreas inundables, sabanas naturales y cuerpos de agua, incluyendo los ríos; San Pedro, Sac Cluc, Yahla y San Juan**. La heterogeneidad de estos ecosistemas constituye un elemento fundamental para el desarrollo de las actividades de monitoreo, investigación y conservación de la biodiversidad en el área.

LISTA DE AVES
Parque Nacional Laguna Del Tigre
Monitoreo Biológico
Estación Biológica Las Guacamayas
Licencia de investigación: IJ-DRP-002-2025

NO	Nombre científico	Nombre en inglés	Estatus de presencia	Estado de conservación IUCN
1	<i>Tinamus major</i>	Great Tinamou	Residente	LC
2	<i>Crypturellus soui</i>	Little Tinamou	Residente	LC
3	<i>Crypturellus cinnamomeus</i>	Thicket Tinamou	Residente	LC
4	<i>Crypturellus boucardi</i>	Slaty-breasted Tinamou	Residente	VU
5	<i>Dendrocygna autumnalis</i>	Black-bellied Whistling-Duck	Residente	LC
6	<i>Cairina moschata</i>	Muscovy Duck	Residente	LC
7	<i>Spatula discors</i>	Blue-winged Teal	Migratorio	LC
8	<i>Anas acuta</i>	Northern Pintail	Migratorio	LC
9	<i>Aythya affinis</i>	Lesser Scaup	Migratorio	LC
10	<i>Penelope purpurascens</i>	Crested Guan	Residente	NT
11	<i>Crax rubra</i>	Great Curassow	Residente	VU
12	<i>Ortalis vetula</i>	Plain Chachalaca	Residente	LC
13	<i>Dactylortyx thoracicus</i>	Singing Quail	Residente	LC
14	<i>Odontophorus guttatus</i>	Spotted Wood-Quail	Residente	LC
15	<i>Meleagris ocellata</i>	Ocellated Turkey	Endémico regional	NT
16	<i>Columba livia (Feral Pigeon)</i>	Rock Pigeon (Feral Pigeon)	Residente	LC
17	<i>Patagioenas cayennensis</i>	Pale-vented Pigeon	Residente	LC
18	<i>Patagioenas speciosa</i>	Scaled Pigeon	Residente	LC
19	<i>Patagioenas flavirostris</i>	Red-billed Pigeon	Residente	LC
20	<i>Patagioenas nigristrois</i>	Short-billed Pigeon	Residente	LC
21	<i>Streptopelia decaocto</i>	Eurasian Collared-Dove	Residente	LC
22	<i>Columbina passerina</i>	Common Ground Dove	Residente	LC
23	<i>Columbina minuta</i>	Plain-breasted Ground Dove	Residente	LC
24	<i>Columbina talpacoti</i>	Ruddy Ground Dove	Residente	LC

25	<i>Claravis pretiosa</i>	Blue Ground Dove	Residente	LC
26	<i>Geotrygon montana</i>	Ruddy Quail-Dove	Residente	LC
27	<i>Leptotila verreauxi</i>	White-tipped Dove	Residente	LC
28	<i>Leptotila jamaicensis</i>	Caribbean Dove	Residente	LC
29	<i>Leptotila plumbeiceps</i>	Gray-headed Dove	Residente	LC
30	<i>Zenaida asiatica</i>	White-winged Dove	Residente	LC
31	<i>Zenaida macroura</i>	Mourning Dove	Residente	LC
32	<i>Crotophaga sulcirostris</i>	Groove-billed Ani	Residente	LC
33	<i>Tapera naevia</i>	Striped Cuckoo	Residente	LC
34	<i>Dromococcyx phasianellus</i>	Pheasant Cuckoo	Residente	LC
35	<i>Piaya cayana</i>	Common Squirrel-Cuckoo	Residente	LC
36	<i>Coccyzus americanus</i>	Yellow-billed Cuckoo	Migratorio	LC
37	<i>Chordeiles acutipennis</i>	Lesser Nighthawk	Residente	LC
38	<i>Chordeiles minor</i>	Common Nighthawk	Migratorio	LC
39	<i>Lurocalis semitorquatus</i>	Short-tailed Nighthawk	Residente	LC
40	<i>Nyctidromus albicollis</i>	Common Pauraque	Residente	LC
41	<i>Antiturus maculicaudus</i>	Spot-tailed Nightjar	Migratorio	LC
42	<i>Nyctiphrynus yucatanicus</i>	Yucatan Poorwill	Endémico regional	LC
43	<i>Antrastomus carolinensis</i>	Chuck-will's-widow	Migratorio	LC
44	<i>Antrastomus badius</i>	Yucatan Nightjar	Endémico regional	LC
45	<i>Nyctibius jamaicensis</i>	Northern Potoo	Residente	LC
46	<i>Streptoprocne zonaris</i>	White-collared Swift	Residente	LC
47	<i>Chaetura vauxi</i>	Vaux's Swift	Migratorio	LC
48	<i>Panyptila cayennensis</i>	Lesser Swallow-tailed Swift	Residente	LC
49	<i>Florisuga mellivora</i>	White-necked Jacobin	Residente	LC
50	<i>Phaethornis longirostris</i>	Long-billed Hermit	Residente	LC
51	<i>Phaethornis striigularis</i>	Stripe-throated Hermit	Residente	LC
52	<i>Heliothryx barroti</i>	Purple-crowned Fairy	Residente	LC
53	<i>Anthracothorax prevostii</i>	Green-breasted Mango	Residente	LC
54	<i>Lophornis helenae</i>	Black-crested Coquette	Residente	LC
55	<i>Archilochus colubris</i>	Ruby-throated Hummingbird	Migratorio	LC
56	<i>Cynanthus canivetii</i>	Canivet's Emerald	Residente	LC

57	<i>Pampa curvipennis</i>	Wedge-tailed Sabrewing	Endémico regional	LC
58	<i>Phaeochroa cuvierii</i>	Scaly-breasted Hummingbird	Residente	LC
59	<i>Amazilia yucatanensis</i>	Buff-bellied Hummingbird	Endémico regional	LC
60	<i>Amazilia tzacatl</i>	Rufous-tailed Hummingbird	Residente	LC
61	<i>Chlorestes candida</i>	White-bellied Emerald	Residente	LC
62	<i>Pardirallus maculatus</i>	Spotted Rail	Residente	LC
63	<i>Aramides albiventris</i>	Russet-naped Wood-Rail	Residente	LC
64	<i>Porzana carolina</i>	Sora	Migratorio	LC
65	<i>Gallinula galeata</i>	Common Gallinule	Residente	LC
66	<i>Fulica americana</i>	American Coot	Migratorio	LC
67	<i>Porphyrio martinica</i>	Purple Gallinule	Residente	LC
68	<i>Laterallus ruber</i>	Ruddy Crake	Residente	LC
69	<i>Laterallus exilis</i>	Gray-breasted Crake	Residente	LC
70	<i>Laterallus jamaicensis</i>	Black Rail	Residente	EN
71	<i>Heliornis fulica</i>	Sungrebe	Residente	LC
72	<i>Aramus guarauna</i>	Limpkin	Residente	LC
73	<i>Himantopus mexicanus</i>	Black-necked Stilt	Migratorio	LC
74	<i>Charadrius vociferus</i>	Killdeer	Migratorio	LC
75	<i>Jacana spinosa</i>	Northern Jacana	Residente	LC
76	<i>Actitis macularius</i>	Spotted Sandpiper	Migratorio	LC
77	<i>Tringa solitaria</i>	Solitary Sandpiper	Migratorio	LC
78	<i>Tringa flavipes</i>	Lesser Yellowlegs	Migratorio	LC
79	<i>Bartramia longicauda</i>	Upland Sandpiper	Migratorio	LC
80	<i>Tringa melanoleuca</i>	Greater Yellowlegs	Migratorio	LC
81	<i>Calidris minutilla</i>	Least sandpiper	Migratorio	LC
82	<i>Calidris himantopus</i>	Stilt Sandpiper	Migratorio	LC
83	<i>Calidris melanotos</i>	Pectoral sandpiper	Migratorio	LC
84	<i>Gallinago gallinago</i>	Wilson's Snipe	Migratorio	LC
85	<i>Tringa semipalmata</i>	Willet	Migratorio	LC
86	<i>Leucophaeus atricilla</i>	Laughing Gull	Migratorio	LC
87	<i>Hydroprogne caspia</i>	Caspian Tern	Migratorio	LC
88	<i>Tachybaptus dominicus</i>	Least Grebe	Migratorio	LC
89	<i>Podilymbus podiceps</i>	Pied-billed Grebe	Residente	LC

90	<i>Jabiru mycteria</i>	Jabiru	Residente	LC
91	<i>Mycteria americana</i>	Wood Stork	Residente	LC
92	<i>Anhinga anhinga</i>	Anhinga	Residente	LC
93	<i>Nannopterum brasilianum</i>	Neotropic Cormorant	Residente	LC
94	<i>Platalea ajaja</i>	Roseate Spoonbill	Residente	LC
95	<i>Eudocimus albus</i>	White Ibis	Residente	LC
96	<i>Tigrisoma mexicanum</i>	Bare-throated Tiger-Heron	Residente	LC
97	<i>Cochlearius cochlearius</i>	Boat-billed Heron	Residente	LC
98	<i>Agamia agami</i>	Agami Heron	Residente	NT
99	<i>Botaurus pinnatus</i>	Pinnated Bittern	Residente	LC
100	<i>Botaurus exilis</i>	Least Bittern	Residente	LC
101	<i>Nyctanassa violacea</i>	Yellow-crowned Night Heron	Residente	LC
102	<i>Nycticorax nycticorax</i>	Black-crowned Night Heron	Migratorio	LC
103	<i>Egretta caerulea</i>	Little Blue Heron	Migratorio	LC
104	<i>Egretta tricolor</i>	Tricolored Heron	Migratorio	LC
105	<i>Egretta thula</i>	Snowy Egret	Residente	LC
106	<i>Butorides virescens</i>	Green Heron	Residente	LC
107	<i>Ardea ibis</i>	Western Cattle-Egret	Residente	LC
108	<i>Ardea alba</i>	Great Egret	Residente	LC
109	<i>Ardea herodias</i>	Great Blue Heron	Migratorio	LC
110	<i>Pelecanus occidentalis</i>	Brown Pelican	Migratorio	LC
111	<i>Pelecanus erythrorhynchos</i>	American white pelican	Migratorio	LC
112	<i>Sarcoramphus papa</i>	King Vulture	Residente	LC
113	<i>Coragyps atratus</i>	Black Vulture	Residente	LC
114	<i>Cathartes aura</i>	Turkey Vulture	Residente	LC
115	<i>Cathartes burrovianus</i>	Lesser Yellow-headed Vulture	Residente	LC
116	<i>Pandion haliaetus</i>	Osprey	Migratorio	LC
117	<i>Elanus leucurus</i>	White-tailed Kite	Residente	LC
118	<i>Chondrohierax uncinatus</i>	Hook-billed Kite	Residente	LC
119	<i>Leptodon cayanensis</i>	Gray-headed Kite	Residente	LC
120	<i>Elanoides forficatus</i>	Swallow-tailed Kite	Migratorio	LC
121	<i>Spizaetus tyrannus</i>	Black Hawk-Eagle	Residente	LC

122	<i>Spizaetus melanoleucus</i>	Black-and-white Hawk-Eagle	Residente	LC
123	<i>Spizaetus ornatus</i>	Ornate Hawk-Eagle	Residente	NT
124	<i>Astur bicolor</i>	Bicolored Hawk	Residente	LC
125	<i>Harpagus bidentatus</i>	Double-toothed Kite	Residente	LC
126	<i>Ictinia mississippiensis</i>	Mississippi Kite	Migratorio	LC
127	<i>Ictinia plumbea</i>	Plumbeous Kite	Migratorio	LC
128	<i>Geranospiza caerulescens</i>	Crane Hawk	Residente	LC
129	<i>Busarellus nigricollis</i>	Black-collared Hawk	Residente	LC
130	<i>Rostrhamus sociabilis</i>	Snail Kite	Residente	LC
131	<i>Buteogallus anthracinus</i>	Common Black Hawk	Residente	LC
132	<i>Buteogallus urubitinga</i>	Great Black Hawk	Residente	LC
133	<i>Rupornis magnirostris</i>	Roadside Hawk	Residente	LC
134	<i>Pseudastur albicollis</i>	White Hawk	Residente	LC
135	<i>Buteo plagiatus</i>	Gray Hawk	Residente	LC
136	<i>Buteo platypterus</i>	Broad-winged Hawk	Migratorio	LC
137	<i>Buteo brachyurus</i>	Short-tailed Hawk	Residente	LC
138	<i>Geranoaetus albicaudatus</i>	White-tailed Hawk	Residente	LC
139	<i>Buteo albonotatus</i>	Zone-tailed Hawk	Migratorio	LC
140	<i>Circus hudsonius</i>	Northern Harrier	Migratorio	LC
141	<i>Tyto furcata</i>	American Barn Owl	Residente	LC
142	<i>Megascops guatemalae</i>	Middle American Screech-Owl	Residente	LC
143	<i>Pulsatrix perspicillata</i>	Spectacled Owl	Residente	LC
144	<i>Glaucidium brasilianum</i>	Ferruginous Pygmy-Owl	Residente	LC
145	<i>Glaucidium griseiceps</i>	Central American Pygmy-Owl	Residente	LC
146	<i>Strix virgata</i>	Mottled Owl	Residente	LC
147	<i>Strix nigrolineata</i>	Black-and-white Owl	Residente	LC
148	<i>Asio clamator</i>	Striped Owl	Residente	LC
149	<i>Lophotrix cristata</i>	Crested owl	Residente	LC
150	<i>Trogon massena</i>	Slaty-tailed Trogon	Residente	LC
151	<i>Trogon melanocephalus</i>	Black-headed Trogon	Residente	LC
152	<i>Trogon caligatus</i>	Gartered Violaceous Trogon	Residente	LC
153	<i>Trogon collaris</i>	Collared Trogon	Residente	LC
154	<i>Hylomanes momotula</i>	Tody Motmot	Residente	LC
155	<i>Momotus lessonii</i>	Lesson's Motmot	Residente	LC

156	<i>Eumomota superciliosa</i>	Turquoise-browed Motmot	Residente	LC
157	<i>Megaceryle torquata</i>	Ringed Kingfisher	Residente	LC
158	<i>Megaceryle alcyon</i>	Belted Kingfisher	Migratorio	LC
159	<i>Chloroceryle amazona</i>	Amazon Kingfisher	Residente	LC
160	<i>Chloroceryle aenea</i>	American Pygmy Kingfisher	Residente	LC
161	<i>Chloroceryle americana</i>	Green Kingfisher	Residente	LC
162	<i>Notharchus hyperrhynchus</i>	White-necked Puffbird	Residente	LC
163	<i>Malacoptila panamensis</i>	White-whiskered Puffbird	Residente	LC
164	<i>Galbula ruficauda</i>	Rufous-tailed Jacamar	Residente	LC
165	<i>Aulacorhynchus prasinus</i>	Northern Emerald-Toucanet	Residente	LC
166	<i>Pteroglossus torquatus</i>	Collared Aracari	Residente	LC
167	<i>Ramphastos sulfuratus</i>	Keel-billed Toucan	Residente	NT
168	<i>Sphyrapicus varius</i>	Yellow-bellied Sapsucker	Migratorio	LC
169	<i>Melanerpes pucherani</i>	Black-cheeked Woodpecker	Residente	LC
170	<i>Melanerpes pygmaeus</i>	Yucatan Woodpecker	Endémico regional	LC
171	<i>Melanerpes aurifrons</i>	Golden-fronted Woodpecker	Residente	LC
172	<i>Dryobates scalaris</i>	Ladder-backed Woodpecker	Residente	LC
173	<i>Leuconotopicus fumigatus</i>	Smoky-brown Woodpecker	Residente	LC
174	<i>Campephilus guatemalensis</i>	Pale-billed Woodpecker	Residente	LC
175	<i>Dryocopus lineatus</i>	Lineated Woodpecker	Residente	LC
176	<i>Celeus castaneus</i>	Chestnut-colored Woodpecker	Residente	LC
177	<i>Colaptes rubiginosus</i>	Golden-olive Woodpecker	Residente	LC
178	<i>Herpetotheres cachinnans</i>	Laughing Falcon	Residente	LC
179	<i>Micrastur semitorquatus</i>	Collared Forest-Falcon	Residente	LC
180	<i>Micrastur ruficollis</i>	Barred Forest-Falcon	Residente	LC
181	<i>Caracara plancus</i>	Crested Caracara	Residente	LC
182	<i>Falco sparverius</i>	American Kestrel	Migratorio	LC
183	<i>Falco columbarius</i>	Merlin	Migratorio	LC
184	<i>Falco femoralis</i>	Aplomado Falcon	Residente	LC
185	<i>Falco rufigularis</i>	Bat Falcon	Residente	LC

186	<i>Falco peregrinus</i>	Peregrine Falcon	Migratorio	LC
187	<i>Falco deiroleucus</i>	Orange-breasted Falcon	Residente	NT
188	<i>Pyrilia haematotis</i>	Brown-hooded Parrot	Residente	LC
189	<i>Pionus senilis</i>	White-crowned Parrot	Residente	LC
190	<i>Amazona autumnalis</i>	Red-lored Amazon	Residente	LC
191	<i>Amazona albifrons</i>	White-fronted Amazon	Residente	LC
192	<i>Amazona xantholora</i>	Yellow-lored Amazon	Endémico regional	LC
193	<i>Amazona farinosa</i>	Mealy Amazon	Residente	NT
194	<i>Eupsittula nana</i>	Olive-throated Parakeet	Residente	LC
195	<i>Ara macao</i>	Scarlet Macaw	Residente	VU
196	<i>Taraba major</i>	Great Antshrike	Residente	LC
197	<i>Thamnophilus doliatus</i>	Barred Antshrike	Residente	LC
198	<i>Dysithamnus mentalis</i>	Plain Antwren	Residente	LC
199	<i>Microrhopias quixensis</i>	Dot-winged Antwren	Residente	LC
200	<i>Cercomacroides tyrannina</i>	Dusky Antbird	Residente	LC
201	<i>Formicarius moniliger</i>	Mayan Antthrush	Residente	LC
202	<i>Sclerurus guatemalensis</i>	Scaly-throated Leaf-tosser	Residente	LC
203	<i>Sittasomus griseicapillus</i>	Olivaceous Woodcreeper	Residente	LC
204	<i>Dendrocincla homochroa</i>	Ruddy Woodcreeper	Residente	LC
205	<i>Dendrocincla anabatina</i>	Tawny-winged Woodcreeper	Residente	LC
206	<i>Glyphorynchus spirurus</i>	Wedge-billed Woodcreeper	Residente	LC
207	<i>Dendrocolaptes sanctithomae</i>	Northern Barred-Woodcreeper	Residente	LC
208	<i>Xiphocolaptes promeropirhynchus</i>	Strong-billed Woodcreeper	Residente	LC
209	<i>Xiphorhynchus flavigaster</i>	Ivory-billed Woodcreeper	Residente	LC
210	<i>Lepidocolaptes souleyetii</i>	Streak-headed Woodcreeper	Residente	LC
211	<i>Xenops mexicanus</i>	Northern Plain-Xenops	Residente	LC
212	<i>Automolus cervinigularis</i>	Fawn-throated Foliage-gleaner	Residente	LC
213	<i>Synallaxis erythrothorax</i>	Rufous-breasted Spinetail	Residente	LC
214	<i>Manacus candei</i>	White-collared Manakin	Residente	LC
215	<i>Ceratopipra mentalis</i>	Red-capped Manakin	Residente	LC
216	<i>Cotinga amabilis</i>	Lovely Cotinga	Residente	LC
217	<i>Lipaugus unirufus</i>	Rufous Piha	Residente	LC

218	<i>Tityra inquisitor</i>	Black-crowned Tityra	Residente	LC
219	<i>Tityra semifasciata</i>	Masked Tityra	Residente	LC
220	<i>Schiffornis veraepacis</i>	Northern Schiffornis	Residente	LC
221	<i>Pachyramphus cinnamomeus</i>	Cinnamon Becard	Residente	LC
222	<i>Pachyramphus polychopterus</i>	White-winged Becard	Residente	LC
223	<i>Pachyramphus major</i>	Gray-collared Becard	Residente	LC
224	<i>Pachyramphus aglaiae</i>	Rose-throated Becard	Residente	LC
225	<i>Onychorhynchus coronatus</i>	Tropical Royal Flycatcher	Residente	LC
226	<i>Terenotriccus erythrurus</i>	Ruddy-tailed Flycatcher	Residente	LC
227	<i>Myiobius sulphureipygius</i>	Sulphur-rumped Flycatcher	Residente	LC
228	<i>Platyrinchus cancrominus</i>	Stub-tailed Spadebill	Residente	LC
229	<i>Mionectes oleagineus</i>	Ochre-bellied Flycatcher	Residente	LC
230	<i>Leptopogon amaurocephalus</i>	Sepia-capped Flycatcher	Residente	LC
231	<i>Oncostoma cinereigulare</i>	Northern Bentbill	Residente	LC
232	<i>Poecilatriccus sylvia</i>	Slate-headed Tody-Flycatcher	Residente	LC
233	<i>Todirostrum cinereum</i>	Common Tody-Flycatcher	Residente	LC
234	<i>Rhynchocyclus brevirostris</i>	Eye-ringed Flatbill	Residente	LC
235	<i>Tolmomyias sulphurescens</i>	Yellow-olive Flatbill	Residente	LC
236	<i>Ornithion semiflavum</i>	Yellow-bellied Tyrannulet	Residente	LC
237	<i>Camptostoma imberbe</i>	Northern Beardless-Tyrannulet	Residente	LC
238	<i>Myiopagis viridicata</i>	Greenish Elaenia	Residente	LC
239	<i>Elaenia flavogaster</i>	Yellow-bellied Elaenia	Residente	LC
240	<i>Contopus cooperi</i>	Olive-sided Flycatcher	Migratorio	LC
241	<i>Contopus sordidulus</i>	Western Wood-Pewee	Migratorio	LC
242	<i>Contopus bogotensis</i>	Northern Tropical Pewee	Residente	LC
243	<i>Contopus virens</i>	Eastern Wood-Pewee	Migratorio	LC
244	<i>Empidonax flaviventris</i>	Yellow-bellied Flycatcher	Migratorio	LC
245	<i>Empidonax virescens</i>	Acadian Flycatcher	Migratorio	LC
246	<i>Empidonax alnorum</i>	Alder Flycatcher	Migratorio	LC
247	<i>Empidonax traillii</i>	Willow Flycatcher	Migratorio	LC
248	<i>Empidonax albigularis</i>	White-throated Flycatcher	Migratorio	LC


249	<i>Empidonax minimus</i>	Least Flycatcher	Migratorio	LC
250	<i>Sayornis nigricans</i>	Black Phoebe	Residente	LC
251	<i>Pyrocephalus rubinus</i>	Vermilion Flycatcher	Residente	LC
252	<i>Attila spadiceus</i>	Bright-rumped Attila	Residente	LC
253	<i>Rhytipterna holerythra</i>	Rufous Mourner	Residente	LC
254	<i>Myiarchus yucatanensis</i>	Yucatan Flycatcher	Endémico regional	LC
255	<i>Myiarchus tuberculifer</i>	Dusky-capped Flycatcher	Residente	LC
256	<i>Myiarchus crinitus</i>	Great Crested Flycatcher	Migratorio	LC
257	<i>Myiarchus tyrannulus</i>	Brown-crested Flycatcher	Migratorio	LC
258	<i>Pitangus sulphuratus</i>	Great Kiskadee	Residente	LC
259	<i>Megarynchus pitangua</i>	Boat-billed Flycatcher	Residente	LC
260	<i>Myiozetetes similis</i>	Social Flycatcher	Residente	LC
261	<i>Myiodynastes maculatus</i>	Streaked Flycatcher	Migratorio	LC
262	<i>Myiodynastes luteiventris</i>	Sulphur-bellied Flycatcher	Migratorio	LC
263	<i>Legatus leucophaeus</i>	Piratic Flycatcher	Migratorio	LC
264	<i>Tyrannus melancholicus</i>	Tropical Kingbird	Residente	LC
265	<i>Tyrannus couchii</i>	Couch's Kingbird	Residente	LC
266	<i>Tyrannus tyrannus</i>	Eastern Kingbird	Migratorio	LC
267	<i>Tyrannus forficatus</i>	Scissor-tailed Flycatcher	Migratorio	LC
268	<i>Tyrannus savana</i>	Fork-tailed Flycatcher	Residente	LC
269	<i>Cyclarhis gujanensis</i>	Rufous-browed Peppershrike	Residente	LC
270	<i>Vireolanius pulchellus</i>	Green Shrike-Vireo	Residente	LC
271	<i>Tunchiornis ochraceiceps</i>	Ochre-crowned Greenlet	Residente	LC
272	<i>Pachysylvia decurtata</i>	Lesser Greenlet	Residente	LC
273	<i>Vireo griseus</i>	White-eyed Vireo	Migratorio	LC
274	<i>Vireo pallens</i>	Mangrove Vireo	Residente	LC
275	<i>Vireo flavifrons</i>	Yellow-throated Vireo	Migratorio	LC
276	<i>Vireo philadelphicus</i>	Philadelphia Vireo	Migratorio	LC
277	<i>Vireo olivaceus</i>	Red-eyed Vireo	Migratorio	LC
278	<i>Vireo flavoviridis</i>	Yellow-green Vireo	Migratorio	LC
279	<i>Cyanocorax morio</i>	Brown Jay	Residente	LC
280	<i>Cyanocorax yncas</i>	Green Jay	Residente	LC
281	<i>Cyanocorax yucatanicus</i>	Yucatan Jay	Endémico regional	LC
282	<i>Riparia riparia</i>	Bank Swallow	Migratorio	LC
283	<i>Tachycineta bicolor</i>	Tree Swallow	Migratorio	LC
284	<i>Tachycineta albilinea</i>	Mangrove Swallow	Residente	LC

285	<i>Progne subis subis</i>	Purple Martin	Migratorio	LC
286	<i>Progne chalybea</i>	Gray-breasted Martin	Migratorio	LC
287	<i>Stelgidopteryx serripennis</i>	Northern Rough-winged Swallow	Residente	LC
288	<i>Hirundo rustica</i>	Barn Swallow	Migratorio	LC
289	<i>Petrochelidon pyrrhonota</i>	Cliff Swallow	Migratorio	LC
290	<i>Ramphocaenus melanurus</i>	Long-billed Gnatwren	Residente	LC
291	<i>Polioptila bilineata</i>	White-browed Gnatcatcher	Residente	LC
292	<i>Polioptila caerulea</i>	Blue-gray Gnatcatcher	Residente	LC
293	<i>Troglodytes musculus</i>	Southern House Wren	Residente	LC
294	<i>Thryothorus ludovicianus</i>	Carolina Wren	Residente	LC
295	<i>Campylorhynchus zonatus</i>	Band-backed Wren	Residente	LC
296	<i>Pheugopedius maculipectus</i>	Spot-breasted Wren	Residente	LC
297	<i>Uropsila leucogastra</i>	White-bellied Wren	Endémico regional	LC
298	<i>Henicorhina leucosticta</i>	White-breasted Wood-Wren	Residente	LC
299	<i>Melanoptila glabrirostris</i>	Black Catbird	Endémico regional	LC
300	<i>Dumetella carolinensis</i>	Gray Catbird	Migratorio	LC
301	<i>Mimus gilvus</i>	Tropical Mockingbird	Residente	LC
302	<i>Catharus ustulatus</i>	Swainson's Thrush	Migratorio	LC
303	<i>Hylocichla mustelina</i>	Wood Thrush	Migratorio	LC
304	<i>Turdus assimilis</i>	White-throated Thrush	Residente	LC
305	<i>Turdus grayi</i>	Clay-colored Thrush	Residente	LC
306	<i>Catharus minimus</i>	Gray-cheeked Thrush	Migratorio	LC
307	<i>Bombycilla cedrorum</i>	Cedar Waxwing	Migratorio	LC
308	<i>Euphonia affinis</i>	Scrub Euphonia	Residente	LC
309	<i>Euphonia hirundinacea</i>	Yellow-throated Euphonia	Residente	LC
310	<i>Euphonia gouldi</i>	Olive-backed Euphonia	Residente	LC
311	<i>Spinus psaltria</i>	Lesser Goldfinch	Residente	LC
312	<i>Peucaea botterii</i>	Botteri's Sparrow	Residente	LC
313	<i>Arremonops rufivirgatus</i>	Olive Sparrow	Residente	LC
314	<i>Arremonops chloronotus</i>	Green-backed Sparrow	Endémico regional	LC
315	<i>Icteria virens</i>	Yellow-breasted Chat	Migratorio	LC

316	<i>Xanthocephalus xanthocephalus</i>	Yellow-headed Blackbird	Migratorio	LC
317	<i>Sturnella magna</i>	Eastern Meadowlark	Residente	NT
318	<i>Amblycercus holosericeus</i>	Yellow-billed Cacique	Residente	LC
319	<i>Psarocolius wagleri</i>	Chestnut-headed Oropendola	Residente	LC
320	<i>Psarocolius montezuma</i>	Montezuma Oropendola	Residente	LC
321	<i>Icterus prosthemelas</i>	Black-cowled Oriole	Residente	LC
322	<i>Icterus spurius</i>	Orchard Oriole	Migratorio	LC
323	<i>Icterus mesomelas</i>	Yellow-tailed Oriole	Residente	LC
324	<i>Icterus galbula</i>	Baltimore Oriole	Migratorio	LC
325	<i>Icterus gularis</i>	Altamira Oriole	Residente	LC
326	<i>Icterus cucullatus</i>	Hooded Oriole	Endémico regional	LC
327	<i>Agelaius phoeniceus</i>	Red-winged Blackbird	Residente	LC
328	<i>Molothrus aeneus</i>	Bronzed Cowbird	Residente	LC
329	<i>Molothrus oryzivorus</i>	Giant Cowbird	Residente	LC
330	<i>Dives dives</i>	Melodious Blackbird	Residente	LC
331	<i>Quiscalus mexicanus</i>	Great-tailed Grackle	Residente	LC
332	<i>Seiurus aurocapilla</i>	Ovenbird	Migratorio	LC
333	<i>Helminthos vermivorum</i>	Worm-eating Warbler	Migratorio	LC
334	<i>Parkesia motacilla</i>	Louisiana Waterthrush	Migratorio	LC
335	<i>Parkesia noveboracensis</i>	Northern Waterthrush	Migratorio	LC
336	<i>Vermivora chrysoptera</i>	Golden-winged Warbler	Migratorio	NT
337	<i>Vermivora cyanoptera</i>	Blue-winged Warbler	Migratorio	LC
338	<i>Mniotilta varia</i>	Black-and-white Warbler	Migratorio	LC
339	<i>Protonotaria citrea</i>	Prothonotary Warbler	Migratorio	LC
340	<i>Leiothlypis peregrina</i>	Tennessee Warbler	Migratorio	LC
341	<i>Geothlypis poliocephala</i>	Gray-crowned Yellowthroat	Residente	LC
342	<i>Geothlypis formosa</i>	Kentucky Warbler	Migratorio	LC
343	<i>Geothlypis trichas</i>	Common Yellowthroat	Migratorio	LC
344	<i>Setophaga citrina</i>	Hooded Warbler	Migratorio	LC
345	<i>Setophaga ruticilla</i>	American Redstart	Migratorio	LC
346	<i>Setophaga americana</i>	Northern Parula	Migratorio	LC
347	<i>Setophaga pitaiayumi</i>	Tropical Parula	Migratorio	LC
348	<i>Setophaga magnolia</i>	Magnolia Warbler	Migratorio	LC
349	<i>Setophaga castanea</i>	Bay-breasted Warbler	Migratorio	LC
350	<i>Setophaga fusca</i>	Blackburnian Warbler	Migratorio	LC

351	<i>Setophaga aestiva</i>	Northern Yellow Warbler	Migratorio	LC
352	<i>Setophaga pensylvanica</i>	Chestnut-sided Warbler	Migratorio	LC
353	<i>Setophaga coronata</i>	Yellow-rumped Warbler	Migratorio	LC
354	<i>Setophaga dominica</i>	Yellow-throated Warbler	Migratorio	LC
355	<i>Setophaga virens</i>	Black-throated Green Warbler	Migratorio	LC
356	<i>Basileuterus culicivorus</i>	Golden-crowned Warbler	Residente	LC
357	<i>Cardellina pusilla</i>	Wilson's Warbler	Migratorio	LC
358	<i>Limnithlypis swainsonii</i>	Swainson's Warbler	Migratorio	LC
359	<i>Geothlypis philadelphia</i>	Mourning Warbler	Migratorio	LC
360	<i>Setophaga cerulea</i>	Cerulean Warbler	Migratorio	NT
361	<i>Setophaga caerulescens</i>	Black-throated Blue Warbler	Migratorio	LC
362	<i>Piranga roseogularis</i>	Rose-throated Tanager	Endémico regional	LC
363	<i>Piranga rubra</i>	Summer Tanager	Migratorio	LC
364	<i>Piranga olivacea</i>	Scarlet Tanager	Migratorio	LC
365	<i>Piranga leucoptera</i>	White-winged Tanager	Migratorio	LC
366	<i>Habia rubica</i>	Red-crowned Ant-Tanager	Residente	LC
367	<i>Driophlox fuscicauda</i>	Red-throated Ant-Tanager	Residente	LC
368	<i>Caryothraustes poliogaster</i>	Black-faced Grosbeak	Residente	LC
369	<i>Cardinalis cardinalis</i>	Northern Cardinal	Residente	LC
370	<i>Pheucticus ludovicianus</i>	Rose-breasted Grosbeak	Migratorio	LC
371	<i>Granatellus sallaei</i>	Gray-throated Chat	Endémico regional	LC
372	<i>Cyanoloxia cyanoides</i>	Blue-black Grosbeak	Residente	LC
373	<i>Cyanocompsa parellina</i>	Blue Bunting	Residente	LC
374	<i>Passerina caerulea</i>	Blue Grosbeak	Migratorio	LC
375	<i>Passerina cyanea</i>	Indigo Bunting	Migratorio	LC
376	<i>Passerina ciris</i>	Painted Bunting	Migratorio	LC
377	<i>Spiza americana</i>	Dickcissel	Migratorio	LC
378	<i>Eucometis penicillata</i>	Gray-headed Tanager	Residente	LC
379	<i>Lanio aurantius</i>	Black-throated Shrike-Tanager	Residente	LC
380	<i>Ramphocelus sanguinolentus</i>	Crimson-collared Tanager	Residente	LC
381	<i>Ramphocelus passerinii</i>	Scarlet-rumped Tanager	Residente	LC

382	<i>Thraupis episcopus</i>	Blue-gray Tanager	Residente	LC
383	<i>Thraupis abbas</i>	Yellow-winged Tanager	Residente	LC
384	<i>Stilpnia larvata</i>	Golden-hooded Tanager	Residente	LC
385	<i>Cyanerpes cyaneus</i>	Red-legged Honeycreeper	Residente	LC
386	<i>Chlorophanes spiza</i>	Green Honeycreeper	Residente	LC
387	<i>Volatinia jacarina</i>	Blue-black Grassquit	Residente	LC
388	<i>Sporophila funerea</i>	Thick-billed Seed-Finch	Residente	LC
389	<i>Sporophila corvina</i>	Variable Seedeater	Residente	LC
390	<i>Sporophila morelleti</i>	Morelet's Seedeater	Residente	LC
391	<i>Sicalis luteola</i>	Grassland Yellow-Finch	Residente	LC
392	<i>Coereba flaveola</i>	Bananaquit	Residente	LC
393	<i>Tiaris olivaceus</i>	Yellow-faced Grassquit	Residente	LC
394	<i>Saltator maximus</i>	Buff-throated Saltator	Residente	LC
395	<i>Saltator atriceps</i>	Black-headed Saltator	Residente	LC
396	<i>Saltator grandis</i>	Cinnamon-bellied Saltator	Residente	LC



Crested Guan (*Penelope purpurascens*) Residente NT
Fotografía: Cornelio Chablé



Keel-billed Toucan (*Ramphastos sulfuratus*), Residente, NT
Fotografía: Cornelio Chablé



Ocellated Turkey (*Meleagris ocellata*) Endémico regional, NT
Fotografía: Cornelio Chablé



Agami Heron (*Agamia agami*) Residente, NT
Fotografía: Nolberto Tut



Ornate Hawk-Eagle (*Spizaetus ornatus*) Residente, NT
Fotografía: Cornelio Chablé



Orange-breasted falcon (*Falco deiroleucus*), Residente, NT
Fotografía: Cornelio Chablé



Eastern Meadowlark (*Sturnella magna*) Residente, NT
Fotografia: Cornelio Chablé



Cerulean Warbler (*Setophaga cerúlea*) Migratorio, NT
Fotografia: Cornelio Chablé




Mealy Amazon (*Amazona farinosa*), Residente, NT
Fotografía: Cornelio Chablé



Great Curassow (*Crax rubra*) Residente, VU
Fotografía: Rowshan Dowlatabadi



Scarlet Macaw (*Ara macao*), Residente, VU
Fotografía: Cornelio Chablé



Brown-hooded Parrot (*Pyrilia haematotis*), Residente, LC
Fotografía: Cornelio Chablé



Wedge-tailed Sabrewing (*Pampa curvipennis*), Endémico regional, LC
Fotografía: Cornelio Chablé



Yucatan Woodpecker (*Melanerpes pygmaeus*), Endémico regional, LC
Fotografía: Cornelio Chablé



Yellow-lored Amazon (*Amazona xanholora*), Endémico regional, LC
Fotografía: Cornelio Chablé



Yucatan Flycatcher (*Myiarchus yucatanensis*), Endémico regional, LC
Fotografía: Cornelio Chablé



Yucatan Jay (*Cyanocorax yucatanicus*), Endémico regional, LC
Fotografía: Cornelio Chablé



Black Catbird (*Melanoptila glabrirostris*), Endémico regional, LC
Fotografía: Cornelio Chablé



Green-backed Sparrow (*Arremonops chloronotus*), Endémico regional, LC
Fotografía: Nolberto Tut



Rose-throated Tanager (*Piranga roseogularis*), Endémico regional, LC
Fotografía: Cornelio Chablé



Gray-throated Chat (*Granatellus sallaei*), Endémico regional, LC
Fotografía: Cornelio Chablé



Icterus cucullatus (*Hooded Oriole*), Endémico regional, LC
Fotografía: Cornelio Chablé



Blue Ground Dove (*Claravis pretiosa*), Residente, LC
Fotografía: Nolberto Tut



Ruddy Quail-Dove (*Geotrygon montana*), Residente, LC
Fotografía: Cornelio Chablé



Groove-billed Ani (*Crotophaga sulcirostris*), Residente, LC
Fotografía: Cornelio Chablé



Pheasant Cuckoo (*Dromococcyx phasianellus*), Residente, LC
Fotografía: Rowshan Dowlatabadi



Lesser Nighthawk (*Chordeiles acutipennis*), Residente, LC
Fotografia: Cornelio Chablé




Spot-tailed Nightjar (*Antius maculicaudus*), Migratorio, LC
Fotografia: Cornelio Chablé



White-necked Jacobin (*Florisuga mellivora*), Residente, LC
Fotografía: Nolberto Tut



Purple-crowned Fairy (*Heliothryx barroti*), Residente, LC
Fotografía: Cornelio Chablé



Long-billed Hermit (*Phaethornis longirostris*), Residente, LC
Fotografia: Cornelio Chablé



Stripe-throated Hermit (*Phaethornis striigularis*), Residente, LC
Fotografia: Cornelio Chablé



Purple Gallinule (*Porphyrio martinica*), Residente, LC
Fotografia: Cornelio Chablé



Ruddy Crake (*Laterallus ruber*), Residente, LC
Fotografia: Cornelio Chablé



Spotted Sandpiper (*Actitis macularius*), Migratorio, LC
Fotografía: Cornelio Chablé



Willet (*Tringa semipalmata*), Migratorio, LC
Fotografía: Jeovany Tut




Jabirú (*Jabiru mycteria*), Residente, LC
Fotografía: Cornelio Chablé



Wood Stork (*Mycteria americana*), Residente, LC
Fotografía: Cornelio Chablé



Anhinga (*Anhinga anhinga*), Residente, LC
Fotografia: Jeovany Tut



Neotropic Cormorant (*Nannopterum brasilianum*), Residente, LC
Fotografia: Cornelio Chablé



Roseate Spoonbill (*Platalea ajaja*), Residente, LC
Fotografía: Cornelio Chablé



White Ibis (*Eudocimus albus*), Residente, LC
Fotografía: Nolberto Tut



Boat-billed Heron (*Cochlearius cochlearius*), Residente, LC
Fotografía: Nolberto Tut



Boat-billed Heron (*Cochlearius cochlearius*), Residente, LC
Fotografía: Cornelio Chablé



Pinnated Bittern (*Botaurus pinnatus*), Residente, LC
Fotografía: Cornelio Chablé



Least Bittern (*Botaurus exilis*), Residente, LC
Fotografía: Nolberto Tut




Great Blue Heron (*Ardea herodias*), Migratorio, LC
Fotografia: Cornelio Chablé



Little Blue Heron (*Egretta caerulea*), Migratorio, LC
Fotografia: Cornelio Chablé



King Vulture (*Sarcoramphus papa*), Residente, LC
Fotografía: Jeovany Tut.



Lesser Yellow-headed Vulture (*Cathartes burrovianus*), Residente, LC
Fotografía: Cornelio Chablé



Black Hawk-Eagle (*Spizaetus tyrannus*), Residente, LC
Fotografia: Cornelio Chablé



Black-and-white Hawk-Eagle (*Spizaetus melanoleucus*), Residente, LC
Fotografia: Cornelio Chablé



Northern Potoo (*Nyctibius jamaicensis*), Residente, LC
Fotografia: Cornelio Chablé



Middle American Screech-Owl (*Megascops guatemalae*), Residente, LC
Fotografia: Cornelio Chablé



Spectacled Owl (*Pulsatrix perspicillata*), Residente, LC
Fotografía: Cornelio Chablé



Black-and-white Owl (*Strix nigrolineata*), Residente, LC
Fotografía: Cornelio Chablé



Slaty-tailed Trogon (*Trogon massena*), Residente, LC
Fotografía: Cornelio Chablé



Black-headed Trogon (*Trogon melanocephalus*), Residente, LC
Fotografía: Nolberto Tut



Tody Motmot (*Hylomanes momotula*), Residente, LC
Fotografía: Cornelio Chablé



Turquoise-browed Motmot (*Eumomota superciliosa*), Residente, LC
Fotografía: Nolberto Tut



Ringed Kingfisher (*Megaceryle torquata*), Residente, LC
Fotografía: Cornelio Chablé



American Pygmy Kingfisher (*Chloroceryle aenea*), Residente, LC
Fotografía: Cornelio Chablé



White-necked Puffbird (*Notharchus hyperrhynchus*), Residente, LC
Fotografia: Cornelio Chablé



White-whiskered Puffbird (*Malacoptila panamensis*), Residente, LC
Fotografia: Rowshan Dowlatabadi



Northern Emerald-Toucanet (*Aulacorhynchus prasinus*), Residente, LC
Fotografia: Cornelio Chablé



Collared Aracari (*Pteroglossus torquatus*), Residente, LC
Fotografia: Cornelio Chablé



Lineated Woodpecker (*Dryocopus lineatus*), Residente, LC
Fotografía: Nolberto Tut



Chestnut-colored Woodpecker (*Celeus castaneus*), Residente, LC
Fotografía: Cornelio Chablé



Barred Antshrike (*Thamnophilus doliatus*), Residente, LC
Fotografia: Cornelio Chablé



Dusky Antbird (*Cercomacroides tyrannina*), Residente, LC
Fotografia: Cornelio Chablé



Ruddy Woodcreeper (*Dendrocincla homochroa*), Residente, LC
Fotografía: Nolberto Tut



Tawny-winged Woodcreeper (*Dendrocincla anabatina*), Residente, LC
Fotografía: Cornelio Chablé



White-collared Manakin (*Manacus candei*), Residente, LC
Fotografía: Cornelio Chablé



Red-capped Manakin (*Ceratopipra mentalis*), Residente, LC
Fotografía: Cornelio Chablé



Vermilion Flycatcher (*Pyrocephalus rubinus*), Residente, LC
Fotografía: Cornelio Chablé



Ruddy-tailed Flycatcher (*Terenotriccus erythrurus*), Residente, LC
Fotografía: Nolberto Tut



Wood Thrush (*Hylocichla mustelina*), Migratorio, LC
Fotografía: Cornelio Chablé



Gray Catbird (*Dumetella carolinensis*), Migratorio, LC
Fotografía: Rowshan Dowlatabadi



Bay-breasted Warbler (*Setophaga castanea*), Migratorio, LC
Fotografía: Nolberto Tut



Black-and-white Warbler (*Mniotilta varia*), Migratorio, LC
Fotografía: Cornelio Chablé



Dickcissel (*Spiza americana*), Migratorio, LC
Fotografía: Nolberto Tut



Blue Bunting (*Cyanocompsa parellina*), Residente, LC
Fotografía: Cornelio Chablé



Gray-headed Tanager (*Eucometis penicillata*), Residente, LC
Fotografía: Nolberto Tut



Crimson-collared Tanager (*Ramphocelus sanguinolentus*), Residente, LC
Fotografía: Cornelio Chablé

Conclusión

El monitoreo de aves desarrollado por la **Estación Biológica Las Guacamayas** en 19,111 hectáreas del sector este del **Parque Nacional Laguna del Tigre** demuestra el valor de mantener esfuerzos sistemáticos y de largo plazo para documentar la biodiversidad de esta importante área natural de Petén. Los registros obtenidos permiten reconocer la diversidad de aves que utiliza este paisaje y aportan información relevante para comprender la presencia de especies residentes, migratorias y de distribución regional, así como para identificar aquellas que requieren especial atención desde el punto de vista de la conservación.

Los **Conteos Navideños de Aves**, junto con las actividades de monitoreo biológico y la participación de observadores y colaboradores, fortalecen la generación de información científica mediante la acumulación de registros comparables a través del tiempo. La experiencia internacional del Cuento Navideño demuestra que los datos obtenidos mediante ciencia ciudadana pueden contribuir al seguimiento de poblaciones, al análisis de cambios en la distribución de las especies y a la definición de prioridades de conservación.

Asimismo, los registros de campo y la colección de imágenes obtenidas **in situ** constituyen un patrimonio documental de gran valor. Más allá de confirmar la presencia de determinadas especies, estos registros permiten conservar evidencia de la diversidad biológica observada en un momento y lugar determinados, fortaleciendo las bases para futuras investigaciones, procesos de educación ambiental y acciones de manejo y conservación.

En conjunto, el trabajo de la Estación Biológica Las Guacamayas contribuye a consolidar una línea de conocimiento sobre la avifauna del Parque Nacional Laguna del Tigre y reafirma la necesidad de **mantener programas de monitoreo continuos, fortalecer la participación de la ciencia ciudadana y promover la generación y sistematización de información científica**. La continuidad de estos esfuerzos será esencial para detectar cambios en las comunidades de aves, evaluar posibles amenazas y respaldar decisiones orientadas a conservar la conectividad y funcionalidad ecológica de este importante paisaje mesoamericano.

Investigadores:

Cornelio Chablé, Registro de investigador: I-DRVE-012-2023

Jeovany Tut, Registro de investigador: I-DRP-025-2025

Nolberto Tut, Registro de investigador: I-DRP-027-2025

Rómulo Bedoya, Registro de investigador: I-DRP-036-2025

Rowshan Dowlatabadi, colaborador.